

# Supermarket **PARTS** **WAREHOUSE**

## SMPW OEM REPLACEMENT DOOR ORDER FORM

Date \_\_\_\_\_  
 Company Name \_\_\_\_\_  
 Contact Name \_\_\_\_\_  
 Store \_\_\_\_\_  
 Address \_\_\_\_\_  
 City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_  
 E-mail \_\_\_\_\_  
 Phone \_\_\_\_\_ Ext. \_\_\_\_\_ Fax \_\_\_\_\_

1. Anthony Door W/O # \_\_\_\_\_  
*(Check label on top or bottom of door rail)*
2. Outside **(Edge to Edge)** Door Dimensions = Width \_\_\_\_\_" x Height \_\_\_\_\_"
3. Case Manufacturer (If Applicable) \_\_\_\_\_
4. Door Model (101, ELM, Wide Rail) \_\_\_\_\_
5. Date Door Manufactured \_\_\_\_\_

*(This information can be found either on the data label or stamped on the metal glass spacer)*

6. Door Type: Low-Temp (LT) \_\_\_\_\_ Normal Temp (NT) \_\_\_\_\_
7. Insulating Glass Unit: 2 Pane (Standard for NT) \_\_\_\_\_ 3 Pane \_\_\_\_\_
8. Insulating Glass Unit: Heated \_\_\_\_\_ Non-Heated \_\_\_\_\_
9. Rail Heat: Heated \_\_\_\_\_ Non-Heated \_\_\_\_\_
10. If Heated Door or Rail:  
 Amps for Glass (Standard 8W/ft2) \_\_\_\_\_ Amps for Rails (Standard 2W/Linear Foot) \_\_\_\_\_

**\*\* Our Standard heat configuration for stock doors will cover the majority of doors in the marketplace. Only provide information for item 10 if our standard spec will not work for your application. \*\***

11. Door Rail Finish:  
 Bright Polish \_\_\_\_ Black Powder Coat \_\_\_\_ Silver Satin Anodized \_\_\_\_ Bright Polish w/ Black Decorator Tape \_\_\_\_

**\*\* Custom Finish Options may be Available. Please Call for Availability. \*\***

12. Hinge Orientation (from store side): Left Hinge \_\_\_\_\_ Right Hinge \_\_\_\_\_
13. Handle Color \_\_\_\_\_ Handle Style \_\_\_\_\_

Additional Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Surveyed By \_\_\_\_\_ Date \_\_\_\_\_

SOLID SHELVES  
 WIRE SHELVING  
 GASKETS  
 DOORS & DOOR PARTS  
 HEATERS  
 FAN MOTORS & BLADES  
 ELECTRICAL  
 ENERGY MANAGEMENT  
 CUSTOM ENDS / BUMPERS  
 PLUMBING  
 MISC  
 LOZIER  
 TERMS & CONDITIONS

